

# INDEX MAPS.

## T. 14 N. R. 10 E. 2<sup>nd</sup> Mer.

	261	261	260	260	260	259						
263	6	283	5	279	4	275	3	271	2	267	1	257
	<del>285</del>	<del>283</del>	<del>279</del>	<del>275</del>	<del>271</del>	<del>267</del>						
263	7	282	8	279	9	275	10	270	11	266	12	258
	<del>284</del>	<del>282</del>	<del>278</del>	<del>274</del>	<del>270</del>	<del>266</del>						
262	18	282	17	278	16	274	15	270	14	266	13	258
	<del>284</del>	<del>281</del>	<del>277</del>	<del>273</del>	<del>269</del>	<del>265</del>						
262	19	281	20	277	21	273	22	269	23	265	24	258
	<del>284</del>	<del>281</del>	<del>277</del>	<del>273</del>	<del>269</del>	<del>265</del>						
262	30	280	29	276	28	272	27	268	26	264	25	257
	<del>283</del>	<del>280</del>	<del>276</del>	<del>272</del>	<del>268</del>	<del>264</del>						
261	31	280	32	276	33	271	34	267	35	264	36	257
	<del>256</del>	<del>256</del>	<del>256</del>	<del>255</del>	<del>255</del>	<del>255</del>						

## T. 15 N. R. 10 E. 2<sup>nd</sup> Mer.

	292	292	292	291	291	291						
294	6	315	5	311	4	307	3	303	2	299	1	290
	<del>317</del>	<del>315</del>	<del>311</del>	<del>307</del>	<del>303</del>	<del>299</del>						
294	7	315	8	311	9	307	10	302	11	299	12	290
	<del>317</del>	<del>314</del>	<del>310</del>	<del>306</del>	<del>302</del>	<del>298</del>						
294	18	314	17	310	16	306	15	302	14	298	13	290
	<del>316</del>	<del>314</del>	<del>309</del>	<del>305</del>	<del>301</del>	<del>297</del>						
293	19	313	20	309	21	305	22	301	23	297	24	289
	<del>316</del>	<del>313</del>	<del>309</del>	<del>305</del>	<del>301</del>	<del>297</del>						
293	30	312	29	308	28	304	27	300	26	296	25	289
	<del>316</del>	<del>312</del>	<del>308</del>	<del>304</del>	<del>300</del>	<del>296</del>						
293	31	312	32	308	33	304	34	300	35	296	36	289
	<del>288</del>	<del>288</del>	<del>288</del>	<del>287</del>	<del>287</del>	<del>287</del>						

The figures on the lines refer to the page.

Township N. 14 North, Range N. 10 East 2. Mer. Indiana 255

Ch. lks

### South Boundary.

var 6.45

West On S. boundary of Sec. 36

10.26 a Poplar 4.2 in. dia.

18.00 a Branch 15 lks, wide Course N

40.00 at gr. Sec. post, from which

a Sugar 8 in. dia., bray N 33 E 20 lks. dist. of

a Do. 6 " " " " S 43 N 34 " "

49.01 a Walnut 22 " "

80.00 at post Cor. to Sec. 35 & 36, from which

a Sugar 15 in. dia., bray S 45 N 38 lks. dist. of

a Hackberry 8 " " " East 2 " "

Gently rolling 1<sup>st</sup> rate land, Sugar, Walnut,

Beech, Buckeye, Hackberry, under<sup>st</sup> Spruce &

Pawpaw July 10<sup>th</sup> 1889

---

West On S. boundary of Sec. 35

12.83 a Beech 18 in. dia.

30.00 a Branch 12 lks, wide Course N.W.

40.00 at gr. Sec. post, from which

a Beech 7 in. dia., bray S 45 E 3 lks. dist. of

a Do. 9 " " " " S 80 N 25 " "

46.75 a Hickory 20 in. dia.

71.00 a Branch 10 lks, wide Course N.W.

80.00 at post Cor. to Sec. 34 & 35, from which

a Beech 12 in. dia., bray N 79 E 19 lks. dist. of

a Sugar 14 " " " " S 89 N 20 " "

Rich level land, Sugar, Beech, Ash, Walnut

Hickory &c. under<sup>st</sup> Spruce, & pawpaw

---

West On S. boundary of Sec. 34

13.00 a Branch 20 lks, wide Course N.W.

18.52 a Beech 25 in. dia.

40.00 at gr. Sec. post, from which

a Beech 6 in. dia., bray N 18 E 11 lks. dist. of

a Buckeye 7 " " " " S 51 N 11 " "

49.07 a Hickory 16 " "

256 T4 N R10 E. 2<sup>d</sup> Mer. Indiana

ch. lks  
80.00 Set post Cor. to Sec. 33 of 34, from which  
a Beech 6 in. dia., bray S33W17 lks. dist. of  
an Ash 25 " " " North 3 "  
Rolling land, Sugar, Walnut, Beech, Buckeye  
Hickory &c. underg<sup>d</sup>. Spruce & prairie

---

West On S. boundary of Sec. 33

18.00 a Wagon road N. E. of S. 11,

22.87 at Beech 21 in. dia.,

27.00 at Branch 12 lks, wide Course N. W.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 20 in. dia., bray N68W17 lks. dist. of  
a Sugar 7 " " " S45E13 " "

68.07 at Buckeye 18 " " "

80.00 Set post Cor. to Sec. 32 of 33, from which  
a Beech 7 in. dia., bray N48W16 lks. dist. of  
an Elm 18 " " " S43E24 " "

Good farming land, Beech, Sugar, Elm,  
Walnut, Buckeye &c. underg<sup>d</sup>. Spruce & prairie

---

West On S. boundary of Sec. 32

20.13 a Hickory 18 in. dia.,

21.50 a Creek 70 lks, wide E. of S. 20 W.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Buckeye 12 in. dia., bray N50E28 lks. dist. of  
a do. 8 " " " S30W13 " "

68.32 an Ash 36 " " "

80.00 Set post Cor. to Sec. 31 of 32, from which  
a Beech 27 in. dia., bray S52E12 lks. dist. of  
a do. 7 " " " S30W12 " "

Land timber &c. same as on last mile

---

West On S. boundary of Sec. 31

12.50 an Elm 15 in. dia.,

40.00 Set q<sup>r</sup>. Sec. post, from which

an Ash 16 in. dia., bray S28W18 lks. dist. of

T4 N R10 E 2<sup>nd</sup> Mer. Indiana <sup>257</sup>  
ch. 1/4

a Sugar 16 in. dia. bay N 71 E 24 lks. dist. of  
46.15 an Ash 36 " "  
67.00 a Creek 40 lks. wide Course N.W.  
75.53 Intersected Range line 793 lks. S. of 6 mile  
post, Set post Cor. to Township 13 of 14 North  
Range 9 of 10 East, from which  
a Sugar 9 in. dia. bay N 31 E 10 lks. dist. of  
a Do. 18 " " " S 28 W 14 " "  
Good farming land Sugar, P. Walnut, Beech &c.

East Boundary var 6° 30' E.  
North On E. boundary of Sec. 36  
16.00 a Branch 6 lks. wide Course N.W.  
16.52 an Ash 21 in. dia.  
40.00 Set of Sec. post, from which  
a Beech 20 in. dia. bay S 5 E 12 lks. dist. of  
a Do. 20 " " " N 6 W 9 " "  
42.50 a Branch 8 lks. wide Cr. S.W.  
45.26 a Beech 14 in. dia.  
80.00 Set post Cor. to Sec. 25 of 36, from which  
a Blue Ash 16 in. dia. bay S 75 W 18 lks. dist. of  
a Hickory 6 " " " S 57 E 15 " "  
Rich level land, Sugar, Walnut, Ash, Elm &c.  
underg<sup>g</sup>. Spruce & Pawpaw

North On E. boundary of Sec. 25  
12.00 a Branch 20 lks. wide Course S.W.  
15.04 an Ash 14 in. dia.  
38.00 a Branch 6 lks. wide Cr. N.W.  
40.00 Set of Sec. post, from which  
a Do. 6 in. dia. bay S 7 W 26 lks. dist. of  
an Elm 18 " " " S 57 E 25 " "  
42.00 a Creek 30 lks. wide Cr. S.W.  
51.31 a Beech 30 in. dia.  
80.00 Set post Cor. to Sec. 24 of 25, from which  
a Beech 18 in. dia. bay N 55 W 16 lks. dist. of



258 Twp. N. W. E. 2<sup>d</sup>. Mer. Indiana  
 ch. lks  
 a Beech 8 mi. dia; bray S 3 E 16 lks, dist. of  
 High, level land, Sugar, Beech, Ash, Elm  
 Buckeye &c. underg<sup>g</sup>. Spruce & poplar  
 Thursday July 15<sup>th</sup> 1819

---

North On E. boundary of Sec. 24

15.62 a Beech 20 mi. dia.

23.50 a Branch 20 lks, wide Course S. W.

40.00 At gr. Sec. post, from which  
 a Buckeye 10 mi. dia; bray S 68 W 8 lks, dist. of  
 a W. Ash 7 " " " East 27 " "

45.00 a Branch 6 lks, wide C. S. W.

61.33 a Beech 21 mi. dia.

80.00 At post Cor. to Sec. 13 of 24, from which  
 an Elm 7 mi. dia; bray S 17 W 7 lks, dist. of  
 an Ash 14 " " " N 38 E 6 " "  
 Good timber &c. Same as on last mile

---

North On E. boundary of Sec. 13

13.59 a Beech 25 mi. dia.

20.00 a Wagon Road N. E. S. W.

22.00 a Branch 20 lks, wide Course S. W.

40.00 At gr. Sec. post, from which  
 a Beech 16 mi. dia; bray N 46 W 10 lks, dist. of  
 a Do. 22 " " " S 85 E 17 " "

51.77 a Beech 16 " "

59.00 a Branch 6 lks, wide Course N. W.

80.00 At post Cor. to Sec. 12 of 13, from which  
 a Beech 9 mi. dia; bray N 46 E 4 lks, dist. of  
 a Do. 10 " " " N 46 W 24 " "  
 Good farming land, Buckeye, Ash, Elm,  
 Beech, Sugar, &c. Spruce & Poplar

---

North On E. boundary of Sec. 12

13.67 a Beech 21 mi. dia.

14.50 a Branch 15 lks, wide C. S. W.

# 259

## N 4 N N 10 E. 2<sup>nd</sup> Mer. Indiana

- ch. 1/2  
 40.00 Set of Sec. post, from which  
 a Beech 7 mi. dist., bear S 67° W 18 lbs. dist. of  
 a do. 16 " " " N 23° E 21 " "  
 53.34 a Beech 33 " "  
 80.00 Set post Cor. to Sec. 1 & 12, from which  
 a Beech 18 mi. dist., bear S 48° W 28 lbs. dist. of  
 a do. 7 " " " S 12° E 40 " "  
 Sand timber &c. Same as on last mile

- North On E. boundary of Sec. 1,  
 23.00 a Beech 24 mi. dist.  
 33.00 a Branch 6 lbs. wide Cr. S. M.  
 36.00 Same 6 " " " N. E.  
 40.00 Set of Sec. post, from which  
 a Beech 10 mi. dist., bear N 3° E 20 lbs. dist. of  
 a do. 14 " " " N 81° W 17 " "  
 40.50 a Branch 8 lbs. wide Cr. S. M.  
 43.00 Same 8 " " " N. E.  
 50.98 a Beech 12 mi. dist.  
 54.00 a Creek 30 lbs. wide Cr. S. M.  
 58.00 a Wagon Road Crossing the line at right angle  
 77.00 a Creek 60 lbs. wide Course S. M.  
 78.40 Intersected E & M. Town line, Set post Cor.  
 to Townships 14 & 15 N. Range 10 & 11 E. from which  
 a Hickory 18 mi. dist., bear S 76° E 22 lbs. dist. of  
 a Hackberry 20 " " " S 22° W 31 " "  
 Sand timber &c. Same as on the last mile

- North Boundary. var. 6° 45' E.
- West On S. boundary of Sec. 36, S 15 N. 1210 E  
 11.62 a W. Oak 33 mi. dist.  
 33.00 a Creek 40 lbs. wide Cr. S. M.  
 40.00 Set of Sec. post, from which  
 a Beech 10 mi. dist., bear S 60° E 13 lbs. dist. of  
 a Sugar 9 " " " N 47° W 11 " "  
 51.00 a Creek 75 lbs. wide Cr. South

260 T4 N R10 E. 2<sup>nd</sup> Mer. Indiana  
ch. 1/4

80.00 Set post Cor. to Sec. 35 & 36, from which  
a Beech 18 in. dia.; bray S 78 E 21 1/4. dist. of  
a Do. 10 " " " N 50 E 18 " "  
Good farming land, Sugar, Beech, Ash  
Walnut, Hickory, Buckeye &c. undr. Spruce  
& Paro-paw

---

West On S. boundary of Sec. 35, T4 N. R10 E  
7.97 an Elm 33 in. dia.

40.00 Set gr. Sec. post, from which  
an Ash 30 in. dia.; bray S 15 W 14 1/4. dist. of  
a Sugar 18 " " " N 37 W 26 " "

49.63 a Walnut 48 " "

80.00 Set post Cor. to Sec. 34 & 35, from which  
a Buckeye 10 in. dia.; bray N 36 E 11 1/4. dist. of  
a Do. 12 " " " S 44 W 32 " "  
Level wet land, Elm, Ash, Buckeye, Lym  
Oak, Hickory &c. undr. Spruce

---

West On S. boundary of Sec. 34, T4 N. R10 E

20.44 a W. Ash 36 in. dia.

33.00 a Creek 30 ft. wide Course S. W.

40.00 Set gr. Sec. post, from which  
a Sugar 9 in. dia.; bray S 39 E 9 1/4. dist. of  
a Do. 10 " " " N 22 E 18 " "

80.00 Set post Cor. to Sec. 33 & 34, from which  
a Sugar 24 in. dia.; bray N 78 E 8 1/4. dist  
a Do. 8 " " " S 8 W 7 " "  
Good farming land, Sugar, Beech, Elm, Ash,  
Poplar, Lym &c. undr. Spruce, par-paw &c

---

West On S. boundary of Sec. 33, T4 N. R10 E.

37.00 to Maple & Ash Swamp

40.00 Set gr. Sec. post, from which  
an Ash 18 in. dia.; bray S 33 E 19 1/4. dist. of  
a Do. 6 " " " S 56 W 10 " "

261  
T4 N R10 E, 2<sup>d</sup> Mer. Indiana  
ch<sup>2</sup> 6<sup>th</sup>

48.03 an Ash 30 in. dia.

50.00 leave the Swamp

80.00 Set post Cor. to Secs. 32 & 33, from which  
an Elm 18 in. dia., bear S54W 15 lbs. dist. of  
a Do. 12 " " " N9W 39 " "  
Sand timber &c. Same as on the last mile  
Saturday July 17<sup>th</sup> 1819

---

West On S. boundary of Sec. 30, T5 N, R10 E.

40.00 Set of Sec. post, from which  
a Beech 7 in. dia., bear N53W 7 lbs. dist. of  
a Sugar 14 " " " N80E 25 " "

80.00 Set post Cor. to Secs. 31 & 32, from which  
a Beech 8 in. dia., bear N15W 13 lbs. dist. of  
a Do. 8 " " " S11W 15 " "  
Rich level land, Sugar, Beech, Ash, Sycam  
Poplar, Oak, Hickory &c. undng<sup>d</sup>, Spice  
Pawpaw &c.

---

West On S. boundary of Sec. 31, T5 N, R10 E.

20.70 a W. Oak 24 in. dia.

40.00 Set of Sec. post, from which  
a Sugar 14 in. dia., bear N42E 32 lbs. dist. of  
a Beech 8 " " " S25W 17 " "

51.70 a Do. 30 " "

73.48 Intersected at the Corner of Townships  
14 & 15 North, Ranges 9 & 10 East  
Level wet land, Ash, Elm, Oak, Hick &c.

---

West Boundary. var. 6.45' E  
North On E. boundary of Sec. 36, T4 N, R9 E.

13.00 a Creek 25 lbs. wide Corner NW.

14.90 a W. Oak 36 in. dia.

40.00 Set of Sec. post, from which  
a Sugar 12 in. dia., bear N9E 20 lbs. dist. of  
a Do. 7 " " " S62W 10 " "



262 T4 N R10 E, 2<sup>d</sup> Mer. Indiana

ch<sup>d</sup> 6<sup>th</sup>  
 51.33 at Beech 21 mi. dist.  
 80.00 Set post Cor. to Sect. 25 of 36, from which  
 a Sugar 10 mi. dist. bear N 53 E 8 lrs. dist. of  
 any Elm 16 " " " N 15 W 15 " "  
 Land rolling 1<sup>st</sup> rate, Sugar, Walnut,  
 Beech, Buckeye &c. under <sup>th</sup> Spruce & poplar

North On E. boundary of Sec. 25, T4 N R9 E.  
 8.14 a Sugar 30 mi. dist.  
 40.00 Set gr. Sec. post, from which  
 an Elm 24 mi. dist. bear N 12 W 17 lrs. dist. of  
 a Hornbeam 7 " " " N 23 E 21 " "  
 54.65 a Poplar 25 " "  
 80.00 Set post Cor. to Sec. 24 of 25, from which  
 a Beech 8 mi. dist. bear N 46 W 9 lrs. dist. of  
 an Ironw. 7 " " " N 30 E 30 " "  
 Level good farming land, Beech, Sugar,  
 Poplar, Ash, Elm &c. under <sup>th</sup> Spruce & poplar

North On E. boundary of Sec. 24, T4 N R9 E.  
 9.87 an Ash 20 mi. dist.  
 40.00 Set gr. Sec. post, from which  
 an Ash 27 mi. dist. bear S 82 W 11 lrs. dist. of  
 an Ironwood 8 " " " N 35 E 30 " "  
 43.44 an Ash 24 " "  
 80.00 Set post Cor. to Sec. 13 of 24, from which  
 a Sycamore 20 mi. dist. bear N 14 W 2 lrs. dist. of  
 an Ash 10 " " " N 20 E 31 " "  
 Land level 2<sup>d</sup> rate Beech, Sugar, Ash, Elm  
 Oak &c. under <sup>th</sup> Spruce &c.

North On E. boundary of Sec. 13, T4 N R9 E  
 26.02 at Beech 21 mi. dist.  
 40.00 Set gr. Sec. post, from which  
 a Sugar 10 mi. dist. bear S 54 E 11 lrs. dist. of  
 a Do. 8 " " " N 70 W 23 " "

T4 N. R10 E. 2<sup>nd</sup> Mer. Indiana 263  
chd. lks

48.00 a Creek 40 lks. wide Course S. W.

59.27 a Beech 18 in. dia.

80.00 Set post Cor. to Sec. 12 & 13, from which  
an Ash 10 in. dia., bray N 40 E 16 lks. dist. of  
an Elm 8 " " " S 89 W 38 " "

Level wet land, Ash, Elm, Oak, Hickory  
Beech &c. underg<sup>g</sup>, Spruce & Paw paw

Monday, July 20<sup>th</sup> 1879

---

North On E. boundary of Sec. 12, T4 N. R9 E.

8.67 a Beech 16 in. dia.

40.00 Set gr. Sec. post, from which  
an Ash 24 in. dia., bray N 43 E 16 lks. dist. of  
a Beech 10 " " " N 13 W 14 " "

49.47 an Ash 16 " " "

67.05 a Beech 25 " " "

80.00 Set post Cor. to Sec. 11 & 12, from which  
a Beech 10 in. dia., bray S 30 W 17 lks. dist. of  
an Ash 9 " " " N 31 E 26 " "  
Good farming land, Beech, Sugar, Ash, Elm,  
Oak &c. underg<sup>g</sup>, Spruce & Paw paw

---

North On E. boundary of Sec. 1, T4 N. R9 E.

7.62 a Hickory 24 in. dia.

40.00 Set gr. Sec. post, from which  
a Beech 30 in. dia., bray S 38 W 3 lks. dist. of  
a Do. 6 " " " N 81 E 13 " "

60.26 an Ash 48 " " "

79.40 Intersected parallel between Township 14  
& 15 N. Range 9 & 10 E, set post Corner to  
Township 14 & 15 N. Range 9 & 10 E, from which  
an Ash 20 in. dia., bray S 50 E 35 lks. dist. of  
a W. Oak 50 " " " West 12 " "

Level wet land, ash, Elm, Oak, Hickory, Beech

Surveyed by

John M. C. Donald, D.S. comp

264 S. M. R. C. 2<sup>nd</sup> Mer. Indiana  
ch. lks

Sub division

North Between Secs. 35 & 36

15.00 at Red Oak 24 mi. dist.

40.00 at of Sec. post.

(Bearing trees Omitted)

64.00 at Beech 36 mi. dist.

80.00 at post, Cor. to Secs. 25, 26, 35 & 36, from which  
at Beech — mi. dist. bearing S 20 E 18 lks. dist. of  
a Hickory 24 " " " " 10 " "  
Sand rich level, Walnut, Ash, Beech,  
Sugar &c.

---

East On Land, between Secs. 25 & 36

40.00 at temp. of Sec. post

80.50 Intersected the E. boundary 53 lks. S. of post  
Sand timber &c. same as on last mile

---

West Connected between Secs. 25 & 36

20.00 on Elm 20 mi. dist.

40.25 at of Sec. post at average dist. from which  
at Beech — mi. dist. bearing N 60 E 18 lks. dist. of  
a do 18 " " " " S 45 W 6 " "

65.00 at Hickory 12 " "

80.25 to Sec. Corner.

---

North Between Secs. 25 & 26

19.50 at Blue Ash 20 mi. dist.

40.00 at of Sec. post, from which  
a Sugar 9 mi. dist. bearing N 20 W 5 lks. dist. of  
a do. 5 " " " " S 20 E 15 " "

60.00 on Elm 18 " "

80.00 at post Cor. to Secs. 23, 24, 25 & 26, from which  
on Elm 10 mi. dist. bearing West 4 lks. dist. of  
a do. 16 " " " " North 12 " "  
Sand level & wet, timber Ash, Walnut, Beech  
Elm &c. underg<sup>g</sup>. Spruce &c

265

Tk N R 10 E 2<sup>d</sup> Mer. Indiana  
ch. lth  
East On Rand<sup>m</sup>. between Sec. 24 & 25  
40.00 left temp<sup>y</sup>. gr. Sec. post  
79.00 Intersected the N & S. line 150 lth. S. of post  
Land level 2<sup>nd</sup> rate, timber Beech, Ash &c

---

West Corrected between Sec. 24 & 25  
20.00 an Elm 9 mi. dist.  
39.50 left gr. Sec. post at average dist. from which  
at Beech 6 mi. dist. by East 6 lth. dist. of  
a do. 20 " " " S 70 W 8 " "  
79.00 to Sec. Corner

---

North Between Sec. 23 & 24  
0.25 a stream 25 lth. wide Course S.  
20.00 an Ash 14 mi. dist.  
40.00 left gr. Sec. post, from which  
a Sugar 12 mi. dist. by East 12 lth. dist. of  
an Ash 24 " " " West 20 " "  
80.00 left post Cor. to Sec. 13, 14, 23 & 24 from which  
an Elm 12 mi. dist. by South 20 lth. dist. of  
a do. 18 " " " North 20 " "  
Land level 1<sup>st</sup> rate, timber Beech, Ash &c.  
underg<sup>d</sup>. Spruce &c.

---

East On Rand<sup>m</sup>. between Sec. 13 & 24  
40.00 left temp<sup>y</sup>. gr. Sec. post  
78.70 Intersected E. boundary 225 lth. S. of post  
Land level 1<sup>st</sup> rate, timber ash, Sugar, Poplar  
Beech &c.

---

West Corrected between Sec. 13 & 24  
25.00 a Beech 24 mi. dist.  
39.35 left gr. Sec. post at average dist. from which  
an Ash 20 mi. dist. by S 10 W 12 lth. dist. of  
a Beech 10 " " " S 30 W 30 " "  
60.00 a Sugar 10 " "



Ch. Lk.

78.70 to Sec. Corner

North Between Sec. 13 &amp; 14.

25.50 at Blue Ash 20 mi. dist.

40.00 at gr. Sec. post, from which  
at Beech 12 mi. dist. bearing S 80 E 15 lks. dist. of  
a do. 10 " " " South 25 " "

70.25 at Beech 20 " " "

72.50 at Brook 20 lks. wide Corner W.

80.00 at post Cor. to Sec. 11, 12, 13 & 14, from which  
a Sugar 10 mi. dist. bearing S 70 E 20 lks. dist. of  
at Beech 8 " " " N 80 E 20 " "  
Land level, Beech, Ash, Sycamore, Elm  
Walnut &c.

East On Road between Sec. 12 &amp; 13

40.00 at turnpt. of Sec. post

78.00 intersected the Co. boundary 404 lks. S. of post  
Land timber &c. same as on the last mile

West Connected between Sec. 12 &amp; 13

34.00 on Elm 20 mi. dist.

39.00 at gr. Sec. post, at average dist. from which  
at Beech 16 mi. dist. bearing S 70 E 25 lks. dist. of  
a do. 10 " " " N 60 W 20 " "

60.00 at Sugar 20 " "

78.00 to Sec. Corner.

North Between Sec. 11 &amp; 12

36.00 at P. Gum 24 mi. dist.

40.00 at gr. Sec. post from which  
a Sugar 16 mi. dist. bearing East 12 lks. dist. of  
at Beech 8 " " " N 80 W 25 " "

59.00 on Ash 24 " "

80.00 at post Cor. to Sec. 1, 2, 11 & 12, from which  
at Beech 10 mi. dist. bearing N 48 W 20 lks. dist. of

Map RWE, 2<sup>d</sup> Mer. Indiana 267  
Ch. lky

a Beech 10 mi. dist; bray S 30 E 30 lky. dist. of  
Land level, timber Beech, Ash, Elm &c.  
underg<sup>d</sup>. Spruce &c

---

East On Road, between Sec. 1 & 12

40.00 at stump of Sec. post

77.50 intersected E. boundary 516 lky. S. of post  
Land level 2<sup>d</sup> rate, timber Beech, Elm,  
Ash, Oak &c. underg<sup>d</sup>. Spruce

---

West Connected between Sec. 1 & 12

30.00 a Beech 20 mi. dist.

38.75 at q<sup>r</sup>. Sec. post, from which  
a Beech 18 mi. dist; bray N 20 W 30 lky. dist. of  
an Ash 5 " " " South 20 " "

48.00 a do. 24 " "

77.50 to Sec. Corner.

---

North Between Sec. 1 & 2

19.00 a Beech 18 mi. dist; bray

40.00 at q<sup>r</sup>. Sec. post from which  
an Elm 14 mi. dist; bray N 5 E 12 lky. dist. of  
a do. 16 " " " East 30 " "

52.00 a creek 70 lky. wide cr. 148 W

69.50 a Beech 16 mi. dist.

85.43 intersected N. boundary 531 lky. E. of post  
at post cor. to Sec. 1 & 2, from which  
an Elm 18 mi. dist; bray N 20 E 8 lky. dist. of  
a Beech 16 " " " East 20 " "  
Land level post, timber Swamp Ash,  
Bitchory &c.

---

North Between Sec. 34 & 35

26.00 a Poplar 12 mi. dist.

40.00 at q<sup>r</sup>. Sec. post, from which  
a Sugar 18 mi. dist; bray S 20 W 20 lky. dist. of

268

S. H. St. V. C. W. E. D. Mer. Indiana

ch. 1/2 m  
 a Sugar 12 in. dia. bray N 20 E 15 lks. dist. of  
 60.00 a Walnut 36 "  
 80.00 At post Cor. to Sec. 26, 27, 34 & 35, from which  
 an Oak 10 in. dia. bray East 4 lks. dist. of  
 at Beech 8 " " S 30 W 20 "  
 Land level rich, timber B. Walnut, Oak,  
 Elm, Sugar, Beech &c. underg. Spruce &c.

East On Randm. between Sec. 26 &amp; 35

40.00 At stump, q. Sec. post  
 80.45 Intersected N of S. line 32 lks. S. of post  
 Land timber &c. same as on post mile

W. at Cor. between Sec. 26 &amp; 35

21.00 at Beech 6 in. dia.  
 40.22 At q. Sec. post at average dist. from which  
 a Sugar 8 in. dia. bray N 40 W 8 lks. dist. of  
 a Do. 10 " " North 4 " "  
 59.00 a B. Walnut 30 in. dia.  
 80.45 to Sec. Corner

North Between Sec. 26 &amp; 27

20.16 a Beech 18 in. dia.  
 40.00 At q. Sec. post, from which  
 an Oak 10 in. dia. bray S 70 E 12 lks. dist. of  
 a Hickory 12 " " " N 20 W 20 "  
 61.00 a Poplar 18 "  
 80.00 At post Cor. to Sec. 22, 23, 26 & 27, from which  
 an Elm 18 in. dia. bray South 60 lks. dist. of  
 a Do. 24 " " " N 70 W 30 "  
 This Cor. stands in a Creek 40 lks. wide C. & M.  
 Land hilly, Poplar, Beech, Oak &c.  
 underg. Spruce &c.

East On Randm. between Sec. 23 &amp; 26

40.00 At stump, q. Sec. post



269

14 N. W. E. 2<sup>nd</sup> Mer. Indiana  
ch. lky  
80.39 Intersected the N of S. line at the post  
Sand, timber &c. Same as on last mile

---

West Corrected between Secs. 23 & 26  
4.00 a Creek 30 lky, wide E. S. 42 W  
20.00 at Beech 18 m. dia.  
40.19 $\frac{1}{2}$  at gr. Sec. post, from which  
a Poplar 12 m. dia. bray East 12 lky, dist. of  
a Sugar 12 " " " West 15 " "  
65.00 a W. Oak 24 " "  
80.39 to Sec. Corner

---

North Between Secs. 22 & 23  
21.00 a Sugar 18 m. dia.  
40.00 at gr. Sec. post, from which  
a Beech 18 m. dia. bray East 10 lky, dist. of  
a do. 18 " " " N 40 W 8 " "  
64.00 an Ash 18 " " "  
80.00 at post, Cor. to Secs. 14, 15, 22 & 23, from which  
a Beech 12 m. dia. bray S 30 E 10 lky, dist. of  
a do. 8 " " " N 20 W 8 " "  
Land level rich, timber B. Walnut, Ash,  
Elm, Sugar & Beech, underg. Spruce &c

---

East On Randm. between Secs. 14 & 23  
40.00 at temp. gr. Sec. post  
81.15 Intersected the N of S. line 20 lky. S. of post  
Land level & post, timber Beech, Elm &c

---

West Corrected between Secs. 14 & 23  
23.00 at Beech 12 m. dia.  
40.57 $\frac{1}{2}$  at gr. Sec. post, at average dist. from which  
an Ash 12 m. dia. bray S 50 W 10 lky, dist. of  
a Buckeye 12 " " " S 80 E 12 " "  
63.00 a Lym 10 " "  
81.15 to Sec. Corner



270 Off N. C. W. E. 2<sup>nd</sup> Mer. Indiana

ch. 2<sup>ly</sup>  
North Between Secs. 14 & 15

23.00 at Beech 18 mi. dist.

38.00 at Creek 50 lbs, wide Cr. S 42 E.

40.00 at gr. Sec. post, from which  
a Beech 10 mi. dist. bear S 20 W 20 lbs, dist. of  
a Do. 18 " " " S 80 E 12 " "

60.30 an Ash 12 " "

80.00 at post Cor. to Secs. 10, 11, 14 & 15, from which  
a Hickory 12 mi. dist. bear S 30 W 8 lbs, dist. of  
an Ash 18 " " " S 80 W 10 " "

Land level & Swampy, timber Elm, Hickory,  
& Beech &c. undug<sup>th</sup>, Spruce

East On Land<sup>m</sup> between Secs. 11 & 14

40.00 at Swampy, gr. Sec. post,

80.83 intersected the S of S line 15 lbs. S. of post  
Land level timber Hickory, Beech, Sugar  
&c. undug<sup>th</sup>, Spruce &c.

West Connected between Secs. 11 & 14

21.20 at Beech 12 mi. dist.

40.48 at gr. Sec. post, at average dist. from which  
a Sugar 6 mi. dist. bear S 30 W 20 lbs, dist. of  
a Beech 12 " " " S 40 E 15 " "

61.00 an Ash 18 " "

80.83 to Section Corner

North Between Secs. 10 & 11

20.00 an Ash 8 mi. dist.

40.00 at gr. Sec. post, from which  
a Beech 12 mi. dist. bear S 80 E 15 lbs, dist. of  
a Do. 18 " " " West 7 " "

60.00 a Hickory 18 " "

75.00 Flat Flock Cr. 75 lbs, wide Cr. S. W.

80.00 at post Cor. to Secs. 2, 3, 10 & 11, from which  
a Hickory 8 mi. dist. bear South 5 lbs, dist. of

271

St. R 10 E, 2<sup>d</sup> Mer. Indiana  
Ch. Lk.

a Hickory 12 mi. dist. bray N 70 E 15 lbs. dist. of  
First 1/2 mile flat & brushy 2<sup>d</sup> rate land -  
last 1/2 mile rich - timber B. Walnut, Ash  
Hickory, Beech &c. underg<sup>d</sup> Spruce &c

---

East On Range between Sec. 1, 2 & 11

2.00 Crossed flat rock 75 lbs. wide Cr. W.

15.00 do. do. 80. " " S 60 W

40.00 Set trap 1/4 q. Sec. post

79.67 Intersected the St. of S. line at the post  
Land rich & level, timber Beech, Walnut  
Ash &c. underg<sup>d</sup> Spruce &c.

---

West Corried between Sec. 1, 2 & 11

28.00 a Beech 18 mi. dist.

39.83 Set q. Sec. post at average dist. from which  
a Beech 6 mi. dist. bray East 10 lbs. dist. of  
a do. 18 " " " West 12 " "

61.00 an Ash 18 " "

79.67 to Sec. Corner

---

North Between Sec. 1, 2 & 3

25.25 a Beech 18 mi. dist.

40.00 Set q. Sec. post, from which  
a Buckeye 8 mi. dist. bray North 10 lbs. dist. of  
a do. 6 " " " South 12 " "

60.00 a Beech 18 " "

84.70 Intersected N. boundary 800 lbs. E. of post  
Set post Cor. to Sec. 1, 2 & 3, from which  
a Sw. Oak 24 mi. dist. bray 140 W. dist. of  
a Hickory 18 " " East 20 " "  
Land level & rock, timber Swamp Oak, Beech  
& Sugar &c. underg<sup>d</sup> Spruce &c.

---

North Between Sec. 1, 33 & 34

15.50 an Ash 12 mi. dist.

272 West N.W.E. 2<sup>nd</sup> Mer. Indiana

ch<sup>th</sup> 40.00 Set of Sec. post, from which  
at Beech 8 mi. dist., bear N 60° W 15 lks. dist. of  
a do. 4 " " " N 70° E 18 " "  
68.50 a Beech 18 " "  
80.00 Set post Cor. to Sec. 27, 28, 33, 34, from which  
at Beech 20 mi. dist., bear N 10° E 6 lks. dist. of  
an Ash 12 " " " N 10° E 30 " "  
Land level 2<sup>nd</sup>. (note timber Beech, Sugar,  
Ash, &c. underg<sup>th</sup>. Spruce)

---

East On Randm. between Sec. 27 & 34  
35.00 a Brook 20 lks. wide Cr. & N.  
40.00 Set temp<sup>y</sup>. of Sec. post  
81.75 Intersected the N & S. line 25 lks. S. of post  
Land timber &c. same as on last mile

---

West Connected between Sec. 27 & 34  
20.00 a Sugar 18 mi. dist.  
40.87 Set of Sec. post at average dist. from which  
a Sugar — mi. dist. bear East 12 lks. dist. of  
a Beech 5 " " " North 18 " "  
60.00 a do 16 " "  
81.75 to Sec. Corner

---

North Between Sec. 27 & 28  
18.00 a Brook 20 lks. wide Corner N 45° E  
24.00 a Beech 12 mi. dist.  
40.00 Set of Sec. post, from which  
at Beech 12 mi. dist. bear N 60° E 30 lks. dist. of  
a do. 8 " " " N 60° W 32 " "  
60.25 a Brook 50 lks. wide Cr. S 80° W.  
61.00 a Sycamore 36 mi. dist.  
80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which  
an Elm 12 mi. dist., bear South 10 lks. dist. of  
a Beech 12 " " " S 85° E 20 " "  
Land level 2<sup>nd</sup>. (note Beech, Ash, Elm, undg<sup>th</sup>. Spruce)

273

St. N 10 E. 2<sup>d</sup>. Mer. Indiana  
Ch. Lk.

East On Land<sup>m</sup>. between Secs. 22 & 27

40.00 Set temp. g. Sec. post

52.50 a Creek 50 lks. wide Course S 45 W

78.00 a lks 50 " " " South

82.00 Intersected the N & S. line 10 lks. S. of post  
Land level rich, timber Beech, Angar, Ash,  
Walnut, Coffee nut &c. undr. Spruce &c.

---

West Connected between Secs. 22 & 27

7.50 an Elm 20 mi. dist.

41.00 Set g. Sec. post, from which  
a Beech 16 mi. dist. bearing S 5 W 6 lks. dist. of  
a lks. 10 " " " S 70 E 25 " "

60.00 a Beech 16 " "

82.00 to Sec. Corner.

---

North Between Secs. 21 & 22

22.50 an Ash 12 mi. dist.

40.00 Set g. Sec. post, from which  
a Beech 16 mi. dist. bearing S 5 W 15 lks. dist. of  
a lks. 15 " " " N 10 E 20 " "

50.00 an Oak 12 " "

80.00 Set post Cor. to Secs. 15, 16, 21 & 22, from which  
a Buckeye 8 mi. dist. bearing S 5 E 8 lks. dist. of  
a Walnut 18 " " " N 60 E 16 " "  
Land level & swampy, timber Beech, Swamp-  
Ash &c. undr. Spruce

---

East On Land<sup>m</sup>. between Secs. 15 & 22

40.00 Set temp. g. Sec. post

82.00 Intersected the N & S. at post  
Land level rich, timber Beech, Angar  
Ash &c.

---

West Connected between Secs. 15 & 22

20.00 a Beech 14 mi. dist.



274 Mt N. W. E. 2<sup>nd</sup> Mer. Indiana  
ch. l. by

41.00 Set of Sec. post at average dist. from which  
a Sugar 6 in. dia. brang N 30 W 10 lth. dist. of  
at Beech 10 " " " S 20 W 30 " "  
48.50 an Ash 20 " "  
82.00 to Sec. Corner

---

North Between Sec. 15 & 16

10.50 a run 10 lth, wide Course West  
11.00 an Oak 48 in. dia.  
20.50 a Creek 50 lth, wide Cr. S 45 W  
22.50 a do. 50 " " " S 20 E.  
40.00 Set of Sec. post, from which  
a Hackberry 16 in. dia. brang S 20 E 10 lth. dist. of  
a Mulberry 8 " " " West 25 " "  
62.25 a run 5 lth, wide Cr. W.  
65.30 a S. Walnut 24 in. dia.  
80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which  
an Ash 10 in. dia. brang N 60 E 20 lth. dist. of  
a do. 12 " " " West 50 " "  
Land level rich, timber Beech, Ash, Sugar  
Walnut &c, underg<sup>d</sup>. Spruce

---

East On Rand<sup>m</sup>. between Sec. 10 & 15

17.50 a Creek 50 lth, wide Course S.  
40.00 Set temp. of Sec. post  
82.15 Intersected the N of S. line 25 lth. S. of post  
Land level 2<sup>d</sup> rate, timber Beech, Ash,  
Oak, Sugar, Elm &c, underg<sup>d</sup>. Spruce

---

West Corrected between Sec. 10 & 15

20.00 an Ash 24 in. dia.  
40.07<sup>2</sup> Set of Sec. post at average dist. from which  
a Beech 6 in. dia. brang N 5 W 10 lth. dist. of  
at Buckeye 10 " " " N 10 E 25 " "  
61.00 a Beech 12 " "  
82.15 to Sec. Corner

275

Plot R10 E. 2<sup>nd</sup> Mer. Indiana  
ch<sup>2</sup> l<sup>y</sup>  
North Between Sec. 9 & 10

17.50 at Beech 14 in. dia.  
40.00 at gr. Sec. post, from which  
at Beech 16 in. dia. by N 10 E 12 l<sup>y</sup>. dist. of  
a Do. 10 " " " N 30 E 20 " "  
57.00 a Sugar 24 " "  
80.00 at post Cor. to Sec. 3, 4, 9 & 10, from which  
a Hickory 8 in. dia. by N 85 W 20 l<sup>y</sup>. dist. of  
a Sugar 14 " " " S 5 E 25 " "  
Land hilly, timber Beech, Ash, Sugar, Elm &c.

---

East Out Land<sup>m</sup> between Sec. 3 & 10  
40.00 at temp<sup>y</sup>. gr. Sec. post  
42.00 a run 10 l<sup>y</sup>. with Course S 45 E  
82.50 intersected the N of S line 34 l<sup>y</sup>. S. of post  
Land level & swampy Beech, Ash, Elm &c.

---

West Connected between Sec. 3 & 10  
15.00 at Beech 16 in. dia.  
41.25 at gr. Sec. post, at average dist. from which  
a Sugar 8 in. dia. by South 6 l<sup>y</sup>. dist. of  
a Do. 10 " " " North 12 " "  
60.00 an Ash 12 " "  
82.50 to Sec. Corner.

---

North Between Sec. 3 & 4,  
32.00 a Sugar 24 in. dia.  
40.00 at gr. Sec. post, from which  
at Beech 24 in. dia. by N 40 E 30 l<sup>y</sup>. dist. of  
a Do. 10 " " " South 8 " "  
56.00 a Sugar 24 " "  
84.50 intersected the N. boundary 622 l<sup>y</sup>. E.  
of post - at post Cor. to Sec. 3 & 4, from which  
an Ash 10 in. dia. by N 80 E 8 l<sup>y</sup>. dist. of  
a Do. 12 " " " S 85 W 20 " "  
Land level, timber Beech, Ash, Oak, Elm,

276 Sept NW E. 2<sup>nd</sup> Mer. Indiana  
ch<sup>l</sup>ky Sugar &c. underground. Spruce &c.

---

North Between Secs. 32 & 33

21.00 an Elm 36 in. dia.

30.00 Crossed stream 70 yds wide Crs. S 70 W.

40.00 Set of Sec. post, from which  
at Beech 30 in. dia. bray West 20 yds. dist. of  
a Hickory 6 " " " S 40 E 30 " "

56.00 a Do. 12 " "

80.00 Set post Cor. to Secs. 28, 29, 32 & 33, from wh.  
at Beech 18 in. dia. bray N 60 W 8 yds. dist. of  
an Ash 24 " " " S 20 E 5 " "

Land rich & level, timber Beech, Walnut,  
Elm, Sugar &c. underground. Spruce &c.

---

East Out Land<sup>m</sup> between Secs. 28 & 33

20.00 a Creek 60 yds. wide Crs. S 70 W

40.00 Set of Sec. post

81.40 Intersected the N & S line at the post.  
Land, timber &c. same as last mile but not.

---

West Cor. between Secs. 28 & 33

21.00 an Ash 21 in. dia.

40.70 Set of Sec. post at average dist. from which  
an Ash 12 in. dia. bray North 12 yds. dist. of  
an Elm 18 " " " S 60 W 20 " "

59.00 a Sycamore 18 in. dia.

60.00 Crossed a stream 60 yds. wide Crs. S 70 W.

81.40 to Sec. Corner

---

North Between Secs. 28 & 29

21.00 a Sugar 9 in. dia.

40.00 Set of Sec. post, from which  
at Oak 18 in. dia. bray West 5 yds. dist. of  
a Beech 6 " " " N 60 E 8 " "

65.00 a Do. 18 " "

277

St. N. R. 10 E. 2<sup>nd</sup>. Mer. Indiana  
 ch. lly  
 80.00 Set post cor. to Secs. 20, 21, 28 & 29, from which  
 at Beech 36 in. dia. bray West 12 lks. dist. &  
 a Sugar 6 " " " 180 E 15 " "  
 Land level rich timber, Ash, Sugar, Beech  
 &c. underg<sup>g</sup>. Spruce

---

East On Rand<sup>m</sup>. between Secs. 21 & 28  
 40.00 Set temp. q. Sec. post  
 42.00 Crossed stream 75 lks. wide C.S. S 33 W.  
 80.45 Intersected the N & S. line at the post.  
 Land level poor, timber Hickory, Beech  
 underg<sup>g</sup>. Spruce Swamp Beech

---

West Corrected between Secs. 21 & 28  
 21.00 at Beech 18 in. dia.  
 38.00 Crossed stream 75 lks. wide C.S. S 33 W.  
 40.22 Set q. Sec. post, from which (at average dist.)  
 at Beech 18 in. dia. bray S 40 E 5 lks. dist. &  
 at Sugar 18 " " " N 49 E 9 " "  
 61.00 at Sugar 12 " "  
 80.45 to Sec. Corner

---

North Between Secs. 20 & 21  
 24.10 an Ash 18 in. dia.  
 40.00 Set q. Sec. post, from which  
 an Ironwood 8 in. dia. bray South 6 lks. dist. &  
 a Do. 6 " " " N 20 W 7 " "  
 61.00 an Ash 18 " "  
 80.00 Set post cor. to Secs. 16, 17, 20 & 21, from which  
 a Hickory 18 in. dia. bray S 42 W 10 lks. dist. &  
 an Elm 8 " " " N 10 W 12 " "  
 Land level rich timber S. Walnut, Ash,  
 Sugar, Beech, Elm &c. underg<sup>g</sup>. Spruce

---

East On Rand<sup>m</sup>. between Secs. 16 & 21  
 40.00 Set temp. q. Sec. post



278 *West N 10 E. 2<sup>d</sup>. Mer. Indiana*  
ch. lky  
69.00 a stream 70 lks. wide Cr. S 10 W.  
80.50 Intersected the N of S. line 6 lks. S. of post  
(Description of Land &c. omitted)

---

*West Corrected between Sec. 16 & 21*  
21.00 a Beech 18 in. dia.  
40.25 Set of Sec. post at average dist. from which  
a Ironwood 6 in. dia. & 10 lks. dist. of  
an Ash 4 " " N 20 W 6 " "  
62.00 a Beech 18 " "  
80.50 to Sec. Corner.

---

*North Between Sec. 16 & 17*  
20.00 a Swamp Oak 24 in. dia.  
40.00 Set of Sec. post, from which  
a Beech 18 in. dia. & 10 lks. dist. of  
a Do. 12 " " West 15 " "  
65.00 a W. Oak 24 " "  
80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which  
a Beech 18 in. dia. & 25 lks. dist. of  
a Do 18 " " S 20 E 20 "  
Land level & soil, timber Ash, W. Oak, P.  
Oak, Sugar, Beech &c. under Spruce

---

*East On Land between Sec. 9 & 16*  
40.00 Set temp. of Sec. post  
81.34 Intersected the N of S. line 84 lks. N. of post  
Land timber &c. Same as on last mile

---

*West Corrected between Sec. 9 & 16*  
18.20 an Ash 24 in. dia.  
40.67 Set of Sec. post at average dist. from which  
a Beech 8 in. dia. & 12 lks. dist.  
an Ash 18 " " S 20 W 15 " "  
81.34 to Sec. Corner.

---

# 279

## T.H. & C. Co. 2<sup>nd</sup> Mer. Indiana

ch. P. 1/4

North Between Dec. 8 & 9

21.00 at Beech 12 mi. dist.

40.00 Set of. See. post, from which  
an Ash 36 mi. dist. by way West 8 lks. dist. of  
a Sap. Ash 8 " " " East 10 " "

65.33 at Beech 8 " "

80.00 Set post Cor. to Dec. 4, 5, 8 & 9, from which  
an Elm 18 mi. dist. by way North 12 lks. dist. of  
a Beech — " " " West 10 " "  
Land level 2<sup>nd</sup> rate, Beech, Hickory, Elm  
Ash &c. under 1<sup>st</sup> Spruce

East On Road between Dec. 4 & 9

40.00 Set temp. of. See. post

81.26 Intersected the N. of S. line 5 lks. S. of post  
Land level timber Beech, Hickory &c.  
under 1<sup>st</sup> Spruce &c.

West Corrected between Dec. 4 & 9

21.00 at Beech 18 mi. dist.

40.63 Set of. See. post at average dist. from which  
a Sugar 6 mi. dist. by way N 20 W 10 lks. dist. of  
an Elm 18 " " " N 35 E 15 " "

60.00 an Ash 18 " "

81.26 to See. Corner

North Between Dec. 4 & 5

20.35 an Elm 18 mi. dist.

40.00 Set of. See. post, from which  
an Elm 6 mi. dist. by way East 4 lks. dist. of  
a Do. 18 " " " N 40 W 10 " "

84.45 Intersected N. Boundary 684 lks. E. of post  
Set post Cor. to Dec. 4 & 5, from which  
a Hickory 8 mi. dist. by way S 50 E 15 lks. dist. of  
a Beech 6 " " " S 70 W 10 " "  
Land level post, timber Ash, Elm & Beech, Spruce

280 *Appt NWE. 2<sup>nd</sup> Mer. Indiana*

*ch<sup>2</sup> lks*  
North Between Secs. 31 & 32

22.00 a Beech 24 in. dia.

40.00 Set of Sec. post, from which  
a Beech 9 in. dia. bray N 30 W 15 lks. dist. &  
a Do. 7 " " " West 30 " "

55.00 a Cherry 24 " "

80.00 Set post Cor. to Secs. 29, 30, 31 & 32, from which  
a Beech 6 in. dia. bray North 4 lks. dist. &  
a Do. 6 " " " S 5 E 30 " "  
Land level, timber Beech, Ash, Sugar &c.  
underg<sup>th</sup>. Spruce &c

---

East On Rand<sup>m</sup>. between Secs. 29 & 32

40.00 Set temp. of Sec. post

81.70 intersected the N & S. line at the post  
(description of land &c. omitted)

---

West Connected between Secs. 29 & 32

\* 40.85 Set of Sec. post at average dist. from which  
a Beech 6 in. dia. bray S 80 E 6 lks. dist. &  
a Do. 8 " " " S 5 E 15 " "

\* 6.00 an Ash 20 in. dia.

55.00 a Cherry 12 " "

81.70 to Sec. Corner.

---

North Between Secs. 29 & 30

33.50 a Sugar 16 in. dia.

40.00 Set of Sec. post, from which  
a Sugar 8 in. dia. bray S 20 W 12 lks. dist. &  
a W. Oak 36 " " " East 50 " "

75.50 an Ash 12 " "

80.00 Set post Cor. to Secs. 19, 20, 29 & 30, from which  
a Sugar 8 in. dia. bray East 4 lks. dist. &  
a Do. 12 " " " S 85 W 25 " "  
Land level, timber Beech, Ash, Sugar, Walnut  
Oak &c. underg<sup>th</sup>. Spruce &c

# 281

## S 4 N - E 10 E. D. Mer. Indiana

ch. lks

East On Rand<sup>m</sup>. between Sec. 1, 20 & 29

40.00 Let temp<sup>y</sup>. gr. Sec. post

82.00 Intersected N of S. line 4 1/2 lks. S. of post  
Land level, timber Beech, Ash, Oak, Elm  
Sugar &c. undng. Spruce.

West Corrected between Sec. 1, 20 & 29

20.00 an. Angar 24 in. dia.

41.00 Let gr. Sec. post, from which  
a Beech 8 in. dia. (bray) S 80 E 15 lks. dist. of  
a No. 18 " " " West 15 " "

82.00 to Sec. Corner.

North Between Sec. 1, 19 & 20

7.50 enter a Swamp

16.00 an. Ash 20 in. dia.

40.00 Let gr. Sec. post, from which  
an Oak 4 in. dia. (bray) S 60 E 10 lks. dist. of  
a Spr. Beech 5 " " " N 20 W 6 " "

74.00 a Hickory 20 " "

80.00 Let post Cor. to Sec. 1, 17, 18, 19 & 20, from which  
an Ash 10 in. dia. (bray) East 8 lks. dist. of  
a No. 6 " " " S 70 W 15 " "  
Land level & Swampy timber Ash, Hickory  
&c. undng. Spruce &c

East On Rand<sup>m</sup>. between Sec. 1, 17 & 20

40.00 Let temp<sup>y</sup>. gr. Sec. post

82.00 Intersected the N of S. line 8 1/2 lks. S. of post  
Land level, timber, Beech, Ash, Elm &c. undng. Spruce

West Corrected between Sec. 1, 17 & 20

15.00 an. Elm 12 in. dia.

41.00 Let gr. Sec. post at average dist. from which  
an Elm 8 in. dia. (bray) East 25 lks. dist. of  
a Sugar 10 " " " S 40 E 25 " "



282 S.W. 2<sup>d</sup>. Mer. Indiana

ch. lky

67.00 an Elm 9 in. dia.

82.00 to Sec. Corner.

North Between Sec. 17 & 18

21.00 at Beech 24 in. dia.

40.00 at gr. Sec. post, from which  
a Beech 20 in. dia. bear S 10 E 20 lks. dist. of  
a Sugar 20 " " " N 5 W 20 " "

63.50 a Do 12 " "

80.00 at post Cor. to Sec. 7, 8, 17 & 18, from which  
a Sugar 9 in. dia. bear S 5 E 10 lks. dist. of  
a Cherry 10 " " " N 45 W 30 " "

Land level, timber Ash, Beech, Sugar,  
Cherry, ponding<sup>th</sup>. Spruce

East On Rand<sup>m</sup>. between Sec. 8 & 17

40.00 at empty gr. Sec. post

82.00 intersected the N & S line 100 lks. S. of post  
Land timber &c. Same as on last mile

West Connected between Sec. 8 & 17

15.00 at Beech 20 in. dia.

44.00 at gr. Sec. post at average dist. from which  
a Beech 6 in. dia. bear South 12 lks. dist. of  
a Sugar 6 " " " N 80 W 15 " "

74.50 a Do 10 " "

82.00 to Section Corner.

North Between Sec. 7 & 8

18.50 at D. Walnut 36 in. dia.

40.00 at gr. Sec. post, from which  
a Beech 16 in. dia. bear North 8 lks. dist. of  
a Do. 6 " " " N 60 E 15 " "

52.50 an Elm 12 " "

80.00 at post Cor. to Sec. 5, 6, 7 & 8, from which  
an Ash 48 in. dia. bear South 30 lks. dist. of

283

Sta. N. R. 10 E. 2<sup>d</sup>. Mer. Indiana  
ch. 1/4

a Beech 48 m. dist. from N 20 E 50 lks. dist.  
Sand level, timber Beech, Ash, Sugar  
etc. undug<sup>th</sup>. Spruce &c

East On Rand<sup>m</sup>. between Sec. 5 & 8

40.00 Set temp<sup>y</sup>. gr. Sec. post,

81.68 Intersected the N of S line 60 lks. S. of post  
Sand level, timber, Beech, Ash, Sugar,  
Elm &c. undug<sup>th</sup>. Spruce &c

West Corrected between Sec. 5 & 8

15.00 an Ash 14 m. dist.

40.84 Set gr. Sec. post at average dist. from which  
a Beech 9 m. dist. from N 70 W 25 lks. dist. of  
a do. 24 " " " N 60 E 30 " "

56.50 an Ash 12 " "

81.68 to Section Corner

North Between Sec. 5 & 6

20.50 a Hickory 18 m. dist.

40.00 Set gr. Sec. post, from which  
a W. Oak 36 m. dist. from N 30 W 15 " "  
an Elm 12 " " N 30 W 15 " "

57.00 a Bur Oak 18 " "

85.00 Intersected the N. boundary 508 lks. E. of post.  
Set post Cor. to Sec. 5 & 6, from which  
a Sugar 8 m. dist. from North 12 lks. dist. of  
a Beech 6 " " " South 20 " "  
Sand level & soil, timber Bur Oak, Swamp  
Ash, Beech &c undug<sup>th</sup>. Spruce &c.

West Between Sec. 30 & 31

34.00 an Oak 16 m. dist.

40.00 Set gr. Sec. post, from which  
a Beech 8 m. dist. from S 5 W 30 lks. dist. of  
a do. 10 " " " North 25 " "

284

# Tract N.W.E. 2. Mer Indiana

ch. 20

64.00 an Elm 12 mi. dist.

78.48 Intersected N. boundary 150 lks. S. of post.  
 At post Cor. to Sec. 30 & 31, from which  
 at Beech 20 mi. dist. by N 30 E 20 lks. dist. of  
 a do. 10 " " East 20 "  
 Land timber &c. same as on last mile

## West Between Sec. 19 & 30

29.00 an Ash 12 mi. dist.

40.00 At gr. Sec. post, from which  
 at Beech 10 mi. dist. by S 30 E 15 lks. dist. of  
 a do. 10 " " S 30 E 15 "

54.00 an Oak 20 "

78.00 Intersected the N. boundary 242 lks. S. of post.  
 At post Cor. to Sec. 19 & 30, from which  
 at Beech 6 mi. dist. by South 5 lks. dist. of  
 a do. 10 " " N 60 E 4 "  
 Land timber &c. same as on last mile

## West Between Sec. 18 & 19

22.25 at Beech 8 mi. dist.

40.00 At gr. Sec. post, from which  
 at Beech 12 mi. dist. by S 20 W 10 lks. dist. of  
 a do. 18 " " North 4 "

59.30 an Ash 18 "

78.50 Intersected N. boundary 250 lks. S. of post.  
 At post Cor. to Sec. 18 & 19, from which  
 an Ash 8 mi. dist. by East 10 lks. dist. of  
 a Hickory 18 " " South 15 "  
 Land flat, timber Hickory, Beech, Sugar  
 &c. under the Spruce

## West Between Sec. 7 & 18

23.00 an Ash 18 mi. dist.

40.00 At gr. Sec. post, from which  
 at Beech 8 mi. dist. by South 6 lks. dist. of

N 14 N R 10 E, 2<sup>d</sup> Mer. Indiana 285  
ch. lks

at Beech 4 mi. dist. bear N 40 E 10 lks, dist. of  
61.00 a do 8 "  
78.45 Intersected N. boundary 450 lks. S. of post  
Set post Cor. to Sect. 7 & 18, from which  
at Beech 6 mi. dist. bear N 10 W 8 lks, dist. of  
at Buckeye 6 " " " N 10 W 12 " "  
Land level; timber Beech, Poplar, Sugar,  
Hackberry &c. underg<sup>d</sup> Office.

---

West Between Sect. 6 & 7

21.00 an Elm 18 mi. dist.

40.00 Set post Cor. to q<sup>r</sup>. Sec. from which  
at Beech 10 mi. dist. bear N 40 E 4 lks, dist. of  
a do. 10 " " " South 15 " "

62.00 a Cherry 18 " "

78.88 Intersected N. boundary 575 lks. S. of post  
Set post Cor. to Sect. 6 & 7, from which  
at Beech 6 mi. dist. bear N 40 W 6 lks, dist. of  
a do. 8 " " " N 60 E 15 " "  
Land level; poplar, Beech, Hickory, Elm, Sugar  
&c. underg<sup>d</sup> Office

Surveyed in 1819 by

Andrew Wallace,

Deputy Surveyor

---

I certify that the foregoing transcript of field notes  
of Township N. 14 N, Range N. 10 E, 2<sup>d</sup> Mer. Indiana,  
has been compared with the original notes in this  
Office, and found to be correct,  
Surveyor General's Office  
Cincinnati, Nov. 5<sup>th</sup> 1842

William Johnston  
Sur. Genl.

Comp<sup>d</sup>